Journal of Neuroscience Methods, 42 (1992) 241–242
Elsevier Science Publishers B.V.

Contents of Volume 42

Number 1, 2 – April 1992

Research papers

Electron microscopical demonstration of horseradish peroxidase by use of tetramethylbenzidine as chromogen and sodium tungstate as stabilizer (TMB-ST method): a tracing method with high sensitivity and well preserved ultrastructural tissue
Y. Gu, Y. Chen and L. Ye (People's Republic of China) 1

Open fetal spinal cord surgery in rats with low mortality achieved by prevention of oligohydramnios
F.C. De Beer, R.T.W.M. Thomeer, E. Marani and J. Voogd (The Netherlands) 11

An empirical test for the reliability of quantal analysis based on Pascal statistics
H. Kamiya, S. Sawada and C. Yamamoto (Japan) 19

A simplified approach to retrograde/anterograde axonal labeling using combined injections of horseradish peroxidase and ibotenic acid
E.L. White, D. Czeiger and E. Weinfeld (Israel) 27

Brain tissue slice thickness monitored by ion-profile measurement
H.-G. Lipinski (Germany) 37

DiI tracing in combination with immunocytochemistry for analysis of connectivities and chemoarchitectonics of specific neural systems in a teleost, the Atlantic salmon
B.I. Holmqvist, T. Östholm and P. Ekström (Sweden) 45

Polyacrylamide as an infiltrating and embedding medium for vibratome sectioning of human fetal cerebellum containing DiI-filled axons
A. Hayaran and V. Bijlani (India) 65

Evaluation of quinolinic acid induced excitotoxic neurodegeneration in rat striatum by quantitative magnetic resonance imaging in vivo
D. Sauer, P.R. Allegrini, K.H. Thedinga, L. Massieu, H. Amacker and G.E. Fagg (Switzerland) 69

The use of naloxone to facilitate the generation of the locomotor rhythm in spinal cats
K.G. Pearson, W. Jiang and J.M. Ramirez (Canada) 75

Separation of synaptic and spike activity in intracellular recordings for selective analysis
B. Hedwig and M. Knepper (Germany) 83

Model invariant method for extracting single-channel mean open and closed times from heterogeneous multichannel records
S.V. Ramanan, S.F. Fan and P.R. Brink (USA) 91

Immunocytochemical staining of neuropeptides in terminal arborization of primary afferent fibers anterogradely labeled and identified at light and electron microscopic levels
A. Merighi, F. Cruz and A. Coimbra (Italy, Portugal) 105

A non-surgical technique for accurate intracerebral injections in rat
G.F. Jirikowski (USA) 115

Combining in vivo volume-controlled pressure microejection with extracellular unit recording
H. Akaoka, C.-F. Saunier, K. Chergui, P. Charléty, M. Buda and G. Chouvet (France) 119

An in vitro preparation of the mudpuppy for simultaneous intracellular and electromyographic recording during locomotion
M. Wheatley and R.B. Stein (Canada) 129

Development of a sensitive and inexpensive micropush–pull technique for the continuous analysis of brain neurotransmitters and metabolites in vivo
X. Zhang, E. Wulfert and I. Hanin (USA, Belgium) 139

Number 3 – May 1992

Research papers

In vivo selective monitoring of basal levels of cerebral dopamine using voltammetry with Nafion modified (NA-CRO) carbon fibre micro-electrodes
F. Crespi and C. Möbius (UK, Italy) 149

A method for automatic identification of periods of muscular activity from EMG recordings
D.E. Marple-Horvat and S.L. Gilbey (UK) 163
The use of intracellular dialysis to study signal transduction coupling in the squid giant axon
T.J.A. Allen and D.E. Knight (UK) 169
Clinical experience with reinforced, anchored intramuscular electrodes for functional neuromuscular stimulation
A. Prochazka and L.A. Davis (Canada) 175
Simultaneous recording of $[Ca^{2+}]_i$ increases in isolated olfactory receptor neurons retaining their original spatial relationship in intact tissue
J. Hirono, T. Sato, M. Tonoike and M. Takebayashi (Japan) 185
Deblurring of 3-dimensional patterns of evoked rat cerebellar cortical activity: a study using voltage-sensitive dyes and optical sectioning
H. Yae, S.A. Elias and T.J. Ebner (USA) 195
Ethidium bromide fluorescence of 28S ribosomal RNA can be used to normalize samples in Northern or dot blots when analyzing small drug-induced changes in specific mRNA
D.M. Duhl, D.D. Gillespie and F. Sulser (USA) 211
Parametric analysis of sojourn times in conditioned place preference experiments
J. Krauth (Germany) 219
A simplified method for the preparation of tetanus toxin binding fragment for neurobiology
P.S. Fishman, D.A. Farrand, J.L. Halpern and W.C. Latham (USA) 229

Author Index (Vol. 42) 237

Subject Index (Vol. 42) 239

Contents of Volume 42 241